

09/823,302

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	9240	(mobile adj terminal) or (wireless adj phone) or (cellular adj phone)	USPAT
2	BRS	L2	146134 9	(display adj screen) or display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	39	379/330.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	104	(379/433.02).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	283	(379/433.01).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	327	(379/433.03-433.07 ) .ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L7	94	(455/556.2).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L8	375	(455/556.1).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	1077	(455/566).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L10	731	(455/575.1-575.4). ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L11	2594	3 or 4 or 5 or 6 or 7 or 8 or 9 or 10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
12	BRS	L12	390	spring and 1 and 2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	L13	44	11 and 12	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L15	106	retract\$5 and spring and 11	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	L16	75	retract\$5 and spring and 2 and 11	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	L18	1206	D14/138.ccls.	USPAT
17	BRS	L19	280	spring and 2 and 11	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	L20	44	1 and 19	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	L23	2154	display adj6 spring	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	L24	6	11 and 23	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	L25	1519	spring adj6 display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	L26	4	11 and 25	USPAT

	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
1	US 6640113 B1	20031028	9	Touch sensitive display integrated with a handheld radiotelephone	455/566	
2	US 6311076 B1	20011030	8	Mobile communication devices	455/566	455/575.3
3	US 5966647 A	19991012	17	Portable receiver having pivotally connected case arranged to shield antenna	455/300	455/347; 455/566
4	US 5804780 A	19980908	8	Virtual touch screen switch	200/5A	379/433.04; 379/433.07